## WHAT IS CLAIMED IS:

10

25

- 1. A method for determination for a given oil, the relative stability of a water-in-oil emulsion that will be formed by that oil with water comprising:
- a) measuring for the oil the weight fraction of the oil that is
   5 most strongly adsorbed on a silica gel column successively eluted with n-hexane,
   toluene and methylene chloride-methanol mixture solvents;
  - b) determining whether said weight fraction is greater than about 0.05; with a value above 0.05 being determinative of an emulsion more stable than one with a value less than 0.05.
  - 2. The method of claim 1 wherein said oil is a crude oil, crude oil distillate, residua from crude oil distillation and mixtures thereof.
- 3. The method of claim 1 wherein said water comprises halides, sulfate and carbonate salts of Group I and Group II elements of the long form of The Periodic Table of Elements and mixtures thereof.
- 4. The method of claim 1 wherein said water-in-oil emulsion has
  dispersed water droplets in the size range of 0.05 to 200 micron diameter.
  - 5. The method of claim 1 wherein said methylene chloride methanol mixture comprises methylene chloride and methanol in a ratio range of 99 parts of methylene chloride to 1part methanol by weight to 80 parts of methylene chloride to 20 parts methanol by weight.

RV-0401 - 16 -

5

10

## 6. A method to desalt an oil comprising:

- a) measuring for the oil the weight fraction, C of the oil that is most strongly adsorbed on a silica gel column successively eluted with n-hexane, toluene and methylene chloride - methanol mixture solvents;
- b) determining whether said weight fraction, C is greater than about 0.05, and, if above 0.05;
- c) treating the oil to obtain a treated oil wherein the weight fraction, C of the treated oil that is most strongly adsorbed on a silica gel column successively eluted with -hexane, toluene and methylene chloride methanol mixture solvents is less than about 0.05;
- d) adding water to the treated oil, in the range of 1 to 20 wt% based on the weight of the treated oil;
- e) mixing the treated oil and water to form a water-in-treated oil emulsion;
  - f) coalescing the water of the water-in- treated oil emulsion;
  - g) separating the coalesced water to obtain a desalted crude oil.
- 7. The method of claim 6 wherein said oil is a crude oil, crude oil distillate, residua from crude oil distillation and mixtures thereof.

RV-0401 - 17 -

- 8. The method of claim 6 wherein said treatment of the oil is selected form the group consisting of solvent deasphalting, thermal treatment for naphthenic acid reduction, electrochemical treatment for naphthenic acid reduction, blending with a second oil, chemical treatment for naphthenic acid conversion to naphthenate ester, naphthenic acid extraction treatment and combinations thereof.
- 9. The method of claim 6 wherein said coalescence is achieved by centrifugation, hydrocyclone treatement, electrostatic treatment, porous bed percolation and combinations thereof.

10

5

10. The method of claim 6 wherein said methylene chloride - methanol mixture comprises methylene chloride and methanol in a ratio range of 99 parts of methylene chloride to 1part methanol by weight to 80 parts of methylene chloride to 20 parts methanol by weight.

15

20

- 11. A method to form an unstable water-in-oil emulsion from an oil and water comprising:
- a) measuring for the oil the weight fraction, C of the oil that is most strongly adsorbed on a silica gel column successively eluted with n-hexane, toluene and methylene chloride - methanol mixture solvents;
  - b) determining whether said weight fraction, C is greater than about 0.05, and, if above 0.05;
- c) treating the oil to obtain a treated oil wherein the weight
  fraction, C of the treated oil that is most strongly adsorbed on a silica gel column

RV-0401 - 18 -

successively eluted with n-hexane, toluene and methylene chloride - methanol mixture solvents is less than about 0.05;

- d) adding water to the treated oil, in the range of 1 to 20 wt% based on the weight of the treated oil;
- e) mixing the treated oil and water to form an unstable water-inoil emulsion